

ATTESTATION OF CONFORMITY

Name and Address of Attestation Holder:

Fancy Pump (Zhejiang) Co.,Ltd
Room 2-1002,Chuangye Building,Wanchang
Road,Wenling City, Zhejiang,China

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Name and Address of Manufacturer:

Fancy Pump (Zhejiang) Co.,Ltd
Room 2-1002,Chuangye Building,Wanchang
Road,Wenling City, Zhejiang,China

Expiration Date:

20.12.2027

Brand:

N/A

Test Report Number:

OViSCE2209-296E
OViSCE2209-296M
OViSCE2209-296L

Product Name:

Vertical Pump

Test Required:

EN ISO 12100:2010
EN 809:1998+A1:2009+AC:2010
EN 60204-1:2018
EN 60335-1:2012+A11:2014+A13:2017+A1
:2019+A14:2019+ A2:2019+A15:2021
EN IEC 60335-2-41:2021+A11:2021
EN 62233:2008+AC:2008
EN 60034-1:2010+AC:2010
EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

Product Model:

See Annex I

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive
2014/30/EU Electromagnetic Compatibility Directive
2006/42/EC Machinery Directive

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

CDM(F) 1-2, CDM(F) 1-3, CDM(F) 1-4, CDM(F) 1-5,
CDM(F) 1-6, CDM(F) 1-7, CDM(F) 1-8, CDM(F) 1-9,
CDM(F) 1-10, CDM(F) 1-11, CDM(F) 1-12, CDM(F) 1-13,
CDM(F) 1-15, CDM(F) 1-17, CDM(F) 1-19, CDM(F) 1-21,
CDM(F) 1-22, CDM(F) 1-23, CDM(F) 1-25, CDM(F) 1-27,
CDM(F) 1-30, CDM(F) 1-32, CDM(F) 1-33, CDM(F) 1-34,
CDM(F) 1-36, CDM(F) 1-38, CDM(F) 1-40, CDM(F) 3-2,
CDM(F) 3-3, CDM(F) 3-4, CDM(F) 3-5, CDM(F) 3-6,
CDM(F) 3-7, CDM(F) 3-8, CDM(F) 3-9, CDM(F) 3-10,
CDM(F) 3-11, CDM(F) 3-12, CDM(F) 3-13, CDM(F) 3-14,
CDM(F) 3-15, CDM(F) 3-16, CDM(F) 3-18, CDM(F) 3-19,
CDM(F) 3-20, CDM(F) 3-21, CDM(F) 3-22, CDM(F) 3-23,
CDM(F) 3-24, CDM(F) 3-25, CDM(F) 3-27, CDM(F) 3-28,
CDM(F) 3-29, CDM(F) 3-31, CDM(F) 5-2, CDM(F) 5-3,
CDM(F) 5-4, CDM(F) 5-5, CDM(F) 5-6, CDM(F) 5-7,
CDM(F) 5-8, CDM(F) 5-9, CDM(F) 5-10, CDM(F) 5-11,
CDM(F) 5-12, CDM(F) 5-13, CDM(F) 5-14, CDM(F) 5-15,
CDM(F) 5-16, CDM(F) 5-17, CDM(F) 5-18, CDM(F) 5-20,
CDM(F) 5-21, CDM(F) 5-22, CDM(F) 5-23, CDM(F) 5-24,
CDM(F) 5-25, CDM(F) 5-27

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1
:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

CDM(F) 5-28, CDM(F) 5-29, CDM(F) 5-30, CDM(F) 5-33,
CDM(F) 10-1, CDM(F) 10-2, CDM(F) 10-3, CDM(F) 10-4,
CDM(F) 10-5, CDM(F) 10-6, CDM(F) 10-7, CDM(F) 10-8,
CDM(F) 10-9, CDM(F) 10-10, CDM(F) 10-11, CDM(F)
10-12, CDM(F) 10-13, CDM(F) 10-14, CDM(F) 10-15,
CDM(F) 10-16, CDM(F) 10-17, CDM(F) 10-18, CDM(F)
10-19, CDM(F) 10-20, CDM(F) 10-21, CDM(F) 10-22,
CDM(F) 15-1, CDM(F) 15-2, CDM(F) 15-3, CDM(F) 15-4,
CDM(F) 15-5, CDM(F) 15-6, CDM(F) 15-7, CDM(F) 15-8,
CDM(F) 15-9, CDM(F) 15-10, CDM(F) 15-11, CDM(F)
15-12, CDM(F) 15-13, CDM(F) 15-14, CDM(F) 15-15,
CDM(F) 15-16, CDM(F) 15-17, CDM(F) 15-18, CDM(F)
20-1, CDM(F) 20-2, CDM(F) 20-3, CDM(F) 20-4, CDM(F)
20-5, CDM(F) 20-6, CDM(F) 20-7, CDM(F) 20-8, CDM(F)
20-10, CDM(F) 20-12, CDM(F) 20-14, CDM(F) 20-17,
CDL(F) 1-2, CDL(F) 1-3, CDL(F) 1-4, CDL(F) 1-5, CDL(F)
1-6, CDL(F) 1-7, CDL(F) 1-8, CDL(F) 1-9, CDL(F) 1-10,
CDL(F) 1-11, CDL(F) 1-12, CDL(F) 1-13, CDL(F) 1-15,
CDL(F) 1-17, CDL(F) 1-19, CDL(F) 1-21, CDL(F) 1-23,
CDL(F) 1-25, CDL(F) 1-27

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1
:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

CDL(F) 1-30, CDL(F) 1-33, CDL(F) 1-36, CDL(F) 2-2,
CDL(F) 2-3, CDL(F) 2-4, CDL(F) 2-5, CDL(F) 2-6, CDL(F)
2-7, CDL(F) 2-9, CDL(F) 2-11, CDL(F) 2-13, CDL(F) 2-15,
CDL(F) 2-18, CDL(F) 2-22, CDL(F) 2-26, CDL(F) 3-2,
CDL(F) 3-3, CDL(F) 3-4, CDL(F) 3-5, CDL(F) 3-6, CDL(F)
3-7, CDL(F) 3-8, CDL(F) 3-9, CDL(F) 3-10, CDL(F) 3-11,
CDL(F) 3-12, CDL(F) 3-13, CDL(F) 3-15, CDL(F) 3-17,
CDL(F) 3-19, CDL(F) 3-21, CDL(F) 3-23, CDL(F) 3-25,
CDL(F) 3-27, CDL(F) 3-29, CDL(F) 3-31, CDL(F) 3-33,
CDL(F) 3-36, CDL(F) 4-2, CDL(F) 4-3, CDL(F) 4-4, CDL(F)
4-5, CDL(F) 4-6, CDL(F) 4-7, CDL(F) 4-8, CDL(F) 4-10,
CDL(F) 4-12, CDL(F) 4-14, CDL(F) 4-16, CDL(F) 4-19,
CDL(F) 4-22, CDL(F) 8-2-1, CDL(F) 8-2, CDL(F) 8-3,
CDL(F) 8-4, CDL(F) 8-5, CDL(F) 8-6, CDL(F) 8-8, CDL(F)
8-10, CDL(F) 8-12, CDL(F) 8-14, CDL(F) 8-16, CDL(F)
8-18, CDL(F) 8-20, CDL(F) 10-1, CDL(F) 10-2, CDL(F)
10-3, CDL(F) 10-4, CDL(F) 10-5, CDL(F) 10-6, CDL(F)
10-7, CDL(F) 10-8, CDL(F) 10-9, CDL(F) 10-10, CDL(F)
10-12, CDL(F) 10-14, CDL(F) 10-16, CDL(F) 10-18,
CDL(F) 10-20, CDL(F) 10-22

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1
:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

CDL(F) 12-2, CDL(F) 12-3, CDL(F) 12-4, CDL(F) 12-5,
CDL(F) 12-6, CDL(F) 12-7, CDL(F) 12-8, CDL(F) 12-9,
CDL(F) 12-10, CDL(F) 12-12, CDL(F) 12-14, CDL(F)
12-16, CDL(F) 12-18, CDL(F) 16-2, CDL(F) 16-3, CDL(F)
16-4, CDL(F) 16-5, CDL(F) 16-6, CDL(F) 16-7, CDL(F)
16-8, CDL(F) 16-10, CDL(F) 16-12, CDL(F) 16-14, CDL(F)
16-16, CDL(F) 20-1, CDL(F) 20-2, CDL(F) 20-3, CDL(F)
20-4, CDL(F) 20-5, CDL(F) 20-6, CDL(F) 20-7, CDL(F)
20-8, CDL(F) 20-10, CDL(F) 20-12, CDL(F) 20-14, CDL(F)
20-17, CDL(F) 32-10-1, CDL(F) 32-10, CDL(F) 32-20-2,
CDL(F) 32-20, CDL(F) 32-30-2, CDL(F) 32-30, CDL(F)
32-40-2, CDL(F) 32-40, CDL(F) 32-50-2, CDL(F) 32-50,
CDL(F) 32-60-2, CDL(F) 32-60, CDL(F) 32-70-2, CDL(F)
32-70, CDL(F) 32-80-2, CDL(F) 32-80, CDL(F) 32-90-2,
CDL(F) 32-90, CDL(F) 32-100-2, CDL(F) 32-100, CDL(F)
32-110-2, CDL(F) 32-110, CDL(F) 32-120-2, CDL(F)
32-120, CDL(F) 32-130-2, CDL(F) 32-130, CDL(F)
32-140-2, CDL(F) 32-140, CDL(F) 32-150-2, CDL(F)
32-150, CDL(F) 32-160-2, CDL(F) 32-160, CDL(F)
45-10-1, CDL(F) 45-10, CDL(F) 45-20-2

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1
:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

CDL(F) 45-20, CDL(F) 45-30-2, CDL(F) 45-30, CDL(F) 45-40-2, CDL(F) 45-40, CDL(F) 45-50-2, CDL(F) 45-50, CDL(F) 45-60-2, CDL(F) 45-60, CDL(F) 45-70-2, CDL(F) 45-70, CDL(F) 45-80-2, CDL(F) 45-80, CDL(F) 45-90-2, CDL(F) 45-90, CDL(F) 45-100-2, CDL(F) 45-100, CDL(F) 45-110-2, CDL(F) 45-110, CDL(F) 45-120-2, CDL(F) 45-120, CDL(F) 45-130-2, CDL(F) 64-10-1, CDL(F) 64-10, CDL(F) 64-20-2, CDL(F) 64-20-1, CDL(F) 64-20, CDL(F) 64-30-2, CDL(F) 64-30-1, CDL(F) 64-30, CDL(F) 64-40-2, CDL(F) 64-40-1, CDL(F) 64-40, CDL(F) 64-50-2, CDL(F) 64-50-1, CDL(F) 64-50, CDL(F) 64-60-2, CDL(F) 64-60-1, CDL(F) 64-60, CDL(F) 64-70-2, CDL(F) 64-70-1, CDL(F) 64-70, CDL(F) 64-80-2, CDL(F) 64-80-1, CDL(F) 90-10-1, CDL(F) 90-10, CDL(F) 90-20-2, CDL(F) 90-20, CDL(F) 90-30-2, CDL(F) 90-30, CDL(F) 90-40-2, CDL(F) 90-40, CDL(F) 90-50-2, CDL(F) 90-50, CDL(F) 90-60-2, CDL(F) 90-60, FV 4x7/1.5, FV 4x9/2, FV 4x13/3, FV 4x16/4, FV 6x5/1.5, FV 6x8/2, FV 6x11/3, FV 6x15/4, FV 8x4/1.5, FV 8x7/2, FV 8x9/3, FV 8x12/4, FV 8x16/5.5, FV 12x3/1.5, FV 12x5/2

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

FV 12x7/3, FV 12x9/4, FV 12x12/5.5, FV 12x17/7.5, FV 30x7/10, FV 30x9/12, FV 30x11/15, FTD32-14G/2, FTD32-18G/2, FTD32-21G/2, FTD32-26G/2, FTD32-33G/2, FTD32-40G/2, FTD32-50G/2, FTD40-14G/2, FTD40-16G/2, FTD40-21G/2, FTD40-20G/2, FTD40-26G/2, FTD40-30G/2, FTD40-36G/2, FTD40-48G/2, FTD50-32G/2, FTD50-39G/2, FTD50-49G/2, FTD50-59G/2, FTD50-80G/2, FTD50-12G/2, FTD50-15G/2, FTD50-18G/2, FTD50-24G/2, FTD50-28G/2, FTD50-35G/2, FTD50-40G/2, FTD50-50G/2, FTD50-60G/2, FTD50-70G/2, FTD50-81G/2, FTD65-37G/2, FTD65-48G/2, FTD65-15G/2, FTD65-20G/2, FTD65-22G/2, FTD65-30G/2, FTD65-34G/2, FTD65-41G/2, FTD65-51G/2, FTD65-61G/2, FTD65-68G/2, FTD65-85G/2, FTD80-41G/2, FTD80-48G/2, FTD80-13G/2, FTD80-18G/2, FTD80-23G/2, FTD80-29G/2, FTD80-32G/2, FTD80-38G/2, FTD80-47G/2, FTD80-54G/2, FTD80-67G/2, FTD100-9/2, FTD100-15/2, FTD100-17G/2, FTD100-22G/2, FTD100-27/2, FTD100-33/2, FTD100-40G/2, FTD100-48G/2, FTD100-52G/2, FTD125-11G/4, FTD125-14G/4, FTD125-19G/4

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE

ATTESTATION OF CONFORMITY

Annex I

Product Model:

FTD125-22G/4, FTD125-28G/4, FTD125-32G/4,
FTD125-40G/4, FTD125-48G/4, FTD150-12.5G/4,
FTD150-17G/4, FTD150-22G/4, FTD150-25/4,
FTD150-33/4, FTD150-40/4, FTD150-50/4,
FTD200-16/4, FTD200-19/4, FTD200-24/4,
FTD200-31/4, FTD200-36/4, FTD200-47/4,
FTD200-53/4, FTD200-12.5/4, FTD200-20/4,
FTD200-23/4, FTD200-27/4, FTD200-32/4,
FTD200-43/4, FTD200-50/4, FTD250-16/4,
FTD250-19/4, FTD250-22/4, FTD250-29/4,
FTD250-36/4, FTD250-47/4, FTD250-56/4,
FTD250-12.5/4, FTD250-14/4, FTD250-17/4,
FTD250-20/4, FTD250-26/4, FTD250-32/4,
FTD250-40/4, FTD250-50/4, FT 50-170/7, FT
50-220/11, FT 50-250/15, FT 50-310/22, FT 50-350/30,
FT 50-410/40, FT 50-460/55, FT 50-570/75, FT
65-140/11, FT 65-180/15, FT 65-240/22, FT 65-310/30,
FT 65-380/40, FT 65-320/55, FT 65-400/75, FT
80-190/40, FT 80-230/55, FT 80-270/75, FT 80-330/92,
FT 80-360/110, FT 80-420/150, FT 100-270/110, FT
100-320/150, FT 100-390/185, FT 100-480/220, FT
100-600/300, IPL40/120-1.5/2, IPL40/130-2.2/2,
IPL40/150-3/2, IPL40/160-4/2, IPL40/175-5.5/2

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1

:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive

2014/30/EU Electromagnetic Compatibility Directive

2006/42/EC Machinery Directive

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE



ATTESTATION OF CONFORMITY

Annex I

Product Model:

IPL40/195-7.5/2, IPL50/120-1.5/2, IPL50/130-2.2/2,
IPL50/140-3/2, IPL50/150-4/2, IPL50/165-5.5/2,
IPL50/175-5.5/2, IPL50/175-7.5/2, IPL50/185-7.5/2,
IPL65/115-1.5/2, IPL65/110-2.2/2, IPL65/120-3/2,
IPL65/130-4/2, IPL65/145-5.5/2, IPL65/155-5.5/2,
IPL65/155-7.5/2, IPL65/165-5.5/2, IPL65/175-5.5/2,
IPL65/175-7.5/2, IPL80/105-3/2, IPL80/110-4/2,
IPL80/120-4/2, IPL80/145-5.5/2, IPL80/155-7.5/2,
FVL1x2/0.3, FVL1x3/0.3, FVL1x4/0.5, FVL1x5/0.5,
FVL1x6/0.7, FVC1x7/1, FVC1x8/1, FVC1x9/1,
FVC1x11/1, FVC1x13/1.3, FVL2x2/0.5, FVL2x3/0.7,
FVL2x4/1, FVL2x5/1.3, FVL2x6/1.3, FVC2x7/1.5,
FVC2x8/2, FVC2x9/2, FVC2x11/2.5, FVC2x13/3,
FVL4x2/0.7, FVL4x3/1, FVL4x4/1.3, FVL4x5/2,
FVL4x6/2, FVC4x7/2.5, FVC4x8/3, FVC4x10/3,
FVC4x12/4, FVL6x3/1.5, FVL6x4/2, FVL6x5/2.5,
FVL6x6/3, FVC6x8/4, FVC6x10/5.5, FVC6x12/7.5,
FVL8x2/1.5, FVL8x3/1.5, FVL8x4/2, FVL8x5/3,
FVL8x6/4, FVL12x2/1.5, FVL12x3/2, FVL12x4/3,
FVL12x6/4, FVC12x7/5.5, FVC12x8/6.3, FVC12x10/7.5

Document Number

CE-1186-01-201222

Date of Issue:

20.12.2022

Expiration Date:

20.12.2027

Test Report Number:

OViSCE2209-296E

OViSCE2209-296M

OViSCE2209-296L

Test Required:

EN ISO 12100:2010

EN 809:1998+A1:2009+AC:2010

EN 60204-1:2018

EN 60335-1:2012+A11:2014+A13:2017+A1
:2019+A14:2019+ A2:2019+A15:2021

EN IEC 60335-2-41:2021+A11:2021

EN 62233:2008+AC:2008

EN 60034-1:2010+AC:2010

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

The product meets the technical requirement of the above standards as mentioned in the reference test reports and hence fulfils the technical requirements of the following directives

2014/35/EU Low Voltage Directive**2014/30/EU Electromagnetic Compatibility Directive****2006/42/EC Machinery Directive**

CGS Test confirms type which is mentioned above according to the [Annex I] Essential Health and Safety Regulations of 2006/42/EC Machinery Directive with inspection report. Manufacturer must ensure that assessment of conformity with internal checks on the manufacture of above product according to the Annex VIII of 2006/42/EC.

This document is only valid for the equipment and configuration described, in conjunction with the test data detailed above reference test reports. Document was issued on voluntary basis and does not imply meeting Notified Body conformity assessment procedure for the product.

The CE Mark, under the responsibility of the manufacturer or the importer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives.

SIGNATURE